



INTRODUCING the 2022

Cruiser Lineup

Authentic heritage meets modern technology for power, style, and the unadulterated riding experience – around town or along country roads.

*Fat Bob[®] 114 shown with H-D[®] Genuine Motor Parts & Accessories



Low Rider® S

An aggressive performance kingpin designed for the rider willing to push it to the limit. The Milwaukee-Eight 117 powertrain gives this motorcycle owner instant bragging rights. Straight from the factory, this bike bundles big attitude and unrelenting performance.

Softail® Standard

Raw, stripped-down bobber style. A blank canvas for customization. Comes with Annihilator cast aluminum wheels with silver finish.



Street Bob® 114

A gritty, stripped-down bobber cloaked in red. A perfect performance base for personalization.

Heritage Classic 114

The quintessential American cruiser. Show stopping vintage details and pure rock and roll style. A new chrome trim option now available.



Fat Bob® 114

A street-eater with an appetite for power. Built with muscular style and performance.





Sport Glide®

An aggressive combination of cruising agility and long-distance touring.

Breakout® 114

Long, lean and mean. A muscular modern chopper that turns heads.



Sportster® S

Designed to deliver a riding experience rooted in the thrill of unleashing extraordinary power in the act of dynamic acceleration, tempered by invisible technology. Stop light to stop light, corner to corner — on-demand torque produces an unrelenting, exhilarating blast of thrust and adrenaline.



INTRODUCING the 2022

Sport Touring Models

Designed for weight. Designed for power. Designed for performance. Introducing the new breed of speed from Harley-Davidson.



Low Rider® ST

A sport-touring bike with a Softail® chassis and the V-Twin muscle of a Milwaukee-Eight® 117 powertrain, the Low Rider® ST is attitude on two wheels that only Harley-Davidson can supply.



Street Glide® ST

Elevated bagger performance and style for the rider who just can't get enough. The Street Glide® ST pairs the muscular Milwaukee-Eight® 117 powertrain with West Coast styling and new bronze finishes.



Road Glide® ST

The Road Glide® ST projects more menace than ever and backs it up with the street-scorching power of the Milwaukee-Eight® 117 powertrain. West Coast styling and bronze accents set this bike apart from the performance bagger crowd.



INTRODUCING the 2022

Grand American Touring Lineup

The category we've created from the ground up. Go the distance, in style.



Road Glide® Limited

A masterful touring machine built to chase the horizon in style.

Road Glide® Special

A blacked-out or bright chrome bagger, loaded with premium features.



Road King® Special

A custom bagger with top-of-the-line power and a commanding presence.

Road King®

A stripped-down highway legend with classic chrome styling and modern touring performance.





Street Glide® Special

A factory-custom bagger with highway-shredding power, in a blacked-out or chrome finish.

Ultra Limited

A benchmark for long-distance touring bikes. Runs mile after mile with ease.



INTRODUCING the 2022

Adventure Touring Lineup

Where touring becomes detouring, and everything is a road.



Pan America[™] 1250

The Pan America™ 1250 is a two-wheel multi-tool built to endure, designed to explore, and engineered for adventure. *Shown with H-D* Genuine Motor Parts & Accessories

Pan America[™] 1250 S

We're calling it Special for good reason. The Pan America™ 1250 S is loaded with premium features including an aluminum skid plate, brush guards, steering damper, no-tool-needed adjustable brake pedal, and semi-active front and rear suspension.



INTRODUCING the 2022

CVO[™] Lineup

Harley-Davidson® Custom Vehicle Operations™ models represent the pinnacle of H-D style and design. Built in limited numbers with the awesome power of a Milwaukee-Eight™ 117 engine, show-stopping finishes, advanced technology, exclusive components and attention to detail that borders on obsessive.



CVO[™] Road Glide[®]

The CVO™ Road Glide offers menacing style behind its distinctive dual LED headlamps, Road Glide fairing, and unrelenting Milwaukee-Eight 117 powertrain. Powerhouse audio, a 21-inch front wheel, custom paint and attention to detail completes this one-of-a-kind bike.

CVO[™] Road Glide[®] Limited

Loaded with luxury and long-haul comfort, head-turning style and power that always satisfies. Premium audio, heated seats and grips, and the precise handling of the aerodynamic fairing make this motorcycle the ultimate Harley-Davidson Touring machine.



Harley-Davidson® Audio

Powered by Rockford Fosgate®

CVO[™] Limited only by its edition



INTRODUCING the 2022

Trike Lineup

Roll with confidence, comfort, and head-turning custom style on three wheels.

CVO Tri[™] Glide[®]

A super premium trike that screams "ultimate 3-wheeler," the CVO™ Tri Glide® model delivers distinctive style, powerful performance, and long-haul touring capability plus the added confidence of a third wheel. This bike is loaded with premium audio, luxurious comfort features, and astounding finish and attention to detail on a chassis designed from the wheels up as a trike. Exactly as you'd expect from the world's most desirable motorcycle brand.




42

Tri Glide[™] **Ultra**

A long-haul touring trike that calls you to go the distance with all the torque, style, premium infotainment and cargo space three wheels can hold. The ultimate in two-up comfort for adventurers who show no sign of stopping.

Freewheeler®

Hot-rod attitude on three wheels with mini ape hangers, bobtail fenders, chrome Hiawatha headlamp, Enforcer wheels, and slash cut pipes on a smooth, easy handling frame that keeps adventure coming your way.



AUTHORIZED SERVICE

FIRST CLASS SERVICE

Treat your motorcycle to a little TLC with one of our qualified technicians. Our service centres only use factory approved and tested Genuine Motor Parts too, keeping your Harley® 100% the real deal. Visit your local dealer to discuss service plans.

MOTORCYCLE PARTS & ACCESSORIES

DESIGNED FOR STYLE

Designed for style and built to last. Harley-Davidson® Parts and Accessories go the distance with factory fitment and a guaranteed warranty.



CDECIFICATIONS	COETAU ® CTANDADD	CTREET DOD® 114	FAT DOD® 114	LIEDITACE CLASSIC 114	FAT DOV [®] 114	CDODT CLIDE®	DDEA//OUT	LOW DIDEDS C	CDODTCTFD®C
SPECIFICATIONS	SOFTAIL® STANDARD	STREET BOB® 114	FAT BOB® 114	HERITAGE CLASSIC 114	FAT BOY® 114	SPORT GLIDE®	BREAKOUT	LOW RIDER® S	SPORTSTER*S
Seat Height, Unladen (*Cert)	680 mm	680 mm	710 mm	680 mm	675 mm	680 mm	665 mm	710 mm	765 mm
Fuel Capacity	13.21	13.21	13.2	18.91	18.9	18.91	13.21	18.91	11.8
Weight, As Shipped (*Cert)	291 kg	286 kg	296 kg	316 kg	304 kg	304 kg	294 kg	295 kg	221 kg
Weight, In Running Order (*Cert)	297 kg	297 kg	306 kg	330 kg	317 kg	317 kg	305 kg	308 kg	228 kg
Engine Displacement (*Cert)	Milwaukee-Eight® 107 106.5 cu in (1,745 cc)	Milwaukee-Eight® 114 114 cu in (1,868 cc)	Milwaukee-Eight® 114 114 cu in (1,868 cc)	Milwaukee-Eight® 114 114 cu in (1,868 cc)	Milwaukee-Eight® 114 114 cu in (1,868 cc)	Milwaukee-Eight® 107 107 cu in (1,745 cc)	Milwaukee-Eight® 114 114 cu in (1,868 cc)	Milwaukee-Eight® 117 117 cu in (1,923 cc)	Revolution® Max 1250T 76.4 cu in (1,252 cc)
Final Drive (*Cert)	Belt, 32/66 ratio	Belt, 32/66 ratio	Belt, 32/66 ratio	Belt, 32/66 ratio	Belt, 32/66 ratio	Belt, 32/66 ratio	Belt, 32/66 ratio	Belt, 32/66 ratio	Belt, 34/80 ratio
Transmission	6-Speed Cruise Drive™	6-Speed Cruise Drive™	6-Speed Cruise Drive™	6-Speed Cruise Drive™	6-Speed Cruise Drive™	6-Speed Cruise Drive™	6-Speed Cruise Drive™	6-Speed Cruise Drive™	6-speed
Wheel Type	Silver, Annihilator cast aluminum	Black, Annihilator cast aluminum	Denim black, Structure cast aluminum with laser etched graphics	Gloss black, 9-spoke cast aluminum	Machined, Lakester cast aluminum	Black, machine highlighted, Mantis	Gloss black, Gasser II	Dark bronze, Radiate cast aluminum wheel	Aluminum cast, satin black
Wheels, Front Height	19 in. (483 mm)	19 in. (483 mm)	16 in. (406 mm)	16 in. (406 mm)	18 in. (457 mm)	18 in. (457 mm)	21 in. (533 mm)	19 in. (483 mm)	17 in. (432 mm)
Wheels, Rear Height	16 in. (406 mm)	16 in. (406 mm)	16 in. (406 mm)	16 in. (406 mm)	18 in. (457 mm)	16 in. (406 mm)	18 in. (457 mm)	16 in. (406 mm)	16 in. (406 mm)
Suspension Travel, Front	130 mm	130 mm	130 mm	130 mm	130 mm	130 mm	130 mm	130 mm	92 mm
Suspension Travel, Rear	86 mm	86 mm	112 mm	112 mm	86 mm	86 mm	86 mm	112 mm	51 mm
Power (*Cert)	87 HP / 65 kW @ 5,020 rpm	94 HP / 70 kW @ 4,750 rpm	95 HP / 71 kW @ 4,750 rpm	94 HP / 70 kW @ 4,750 rpm	94 HP / 70 kW @ 4,750 rpm	82 HP / 61 kW @ 5,020 rpm	94 HP / 70 kW @ 5,020 rpm	103 HP / 77 kW @ 4,750 rpm	121 HP / 90 kW @ 7,500 rpm
USB	N/A	N/A	N/A	N/A	N/A	USB A-type; output 5V @ 2.4A	USB A-type; output 5V @ 2.4A	N/A	USB-C, 5V, 3A
Colours	Vivid Black	Vivid Black Gauntlet Gray Metallic Redline Red Fastback Blue	Vivid Black Gunship Gray White Sand Pearl	Chrome: Vivid Black, Midnight Crimson, Reef Blue/Vivid Black Black: Vivid Black, White Sand Pearl, Redline Red/Vivid Black, Reef Blue/Vivid Black	Vivid Black Reef Blue Mineral Green Denim Midnight Crimson/Vivid Black	Vivid Black Vivid Black Deluxe Gauntlet Gray Metallic White Sand Pearl	Vivid Black Mineral Green Metallic Gauntlet Gray Metallic	Vivid Black Gunship Gray	Vivid Black White Sand Pearl Mineral Green Metallic
ABS	Optional	Optional	Standard	Standard	Standard	Standard	Standard	Standard	Standard
SPECIFICATIONS	PAN AMERICA™ 1250	PAN AMERICA" 1250 S	STREET GLIDE® ST	ROAD GLIDE® ST	LOW RIDER® ST	ROAD GLIDE® LIMITED	ROAD GLIDE® SPECIAL	ROAD KING* SPECIAL	ROAD KING®
Seat Height, Unladen (*Cert)	850 mm (low seat position) 875 mm (high seat position)	850 mm (low seat position) 875 mm (high seat position)	710 mm	715 mm	720 mm	735 mm	695 mm	695 mm	705 mm
Fuel Capacity	21.2	21.21	22.71	22.71	8.91	22.71	22.71	22.71	22.71
Weight, As Shipped (*Cert)	229 kg	242 kg	353 kg	366 kg	315 kg	407 kg	371 kg	351 kg	360 kg
Weight, In Running Order (*Cert)	245 kg	258 kg	369 kg	382 kg	327 kg	423 kg	387 kg	366 kg	375 kg
Engine Displacement (*Cert)	Revolution® Max 1250 76.4 cu in (1,252 cc)	Revolution® Max 1250 76.4 cu in (1,252 cc)	Milwaukee-Eight® 117 117 cu in (1,923 cc)	Milwaukee-Eight® 117 117 cu in (1,923 cc)	Milwaukee-Eight® 117 117 cu in (1,923 cc)	Twin-Cooled™ Milwaukee-Eight® 114 114 cu in (1,868 cc)	Milwaukee-Eight® 114 114 cu in (1,868 cc)	Milwaukee-Eight® 114 114 cu in (1,868 cc)	Milwaukee-Eight® 107 107 cu in (1,745 cc)
Final Drive (*Cert)	Chain, 19/48 ratio	Chain, 19/48 ratio				Belt, 32/68 ratio	Belt, 32/68 ratio	Belt, 32/68 ratio	Belt, 32/68 ratio
Transmission	6-Speed	6-Speed	6-Speed Cruise Drive™	6-Speed Cruise Drive™	6-Speed Cruise Drive™	6-Speed Cruise Drive™	6-Speed Cruise Drive™	6-Speed Cruise Drive™	6-Speed Cruise Drive™
Wheel Type	Aluminum cast, satin black	Aluminum cast, satin black	Bronze Prodigy	Bronze Prodigy	Dark bronze, Radiate cast aluminum wheel	Slicer II cast aluminum with clear coat	Gloss Black Prodigy	Gloss Black Prodigy	Slicer II Cast Aluminum
Wheels, Front Height	19 in. (483 mm)	19 in. (483 mm)	19 in. (483 mm)	19 in. (483 mm)	19 in. (483 mm)	18 in. (457 mm)	19 in. (483 mm)	19 in. (483 mm)	18 in. (457 mm)
Wheels, Rear Height	17 in. (432 mm)	17 in. (432 mm)	18 in. (457 mm)	18 in. (457 mm)	16 in. (406 mm)	18 in. (457 mm)	18 in. (457 mm)	18 in. (457 mm)	18 in. (457 mm)
Suspension Travel, Front	191 mm	191 mm	117 mm	117 mm	130 mm	117 mm	117 mm	117 mm	117 mm
Suspension Travel, Rear	191 mm	191 mm	76 mm	76 mm	112 mm	76 mm	54 mm	54 mm	76 mm
Power (*Cert)	150 HP / 112 kW @ 9,000 rpm	150 HP / 112 kW @ 9,000 rpm	106 HP / 79 kW @ 4,750 rpm	106 HP / 79 kW @ 4,750 rpm	103 HP / 77 kW @ 4,750 rpm	93 HP / 69 kW @ 5,020 rpm	97 HP / 72 kW @ 5020 rpm	97 HP / 72 kW @ 5,020 rpm	93 HP / 69 kW @ 5,020 rpm
USB	USB-C, 5V, 3A	USB-C, 5V, 3A	USB/MTP/iPod/iPhone	USB/MTP/iPod/iPhone	N/A	USB/MTP/iPod/iPhone	USB/MTP/iPod/iPhone	N/A	N/A
Colours	Vivid Black Gauntlet Gray Metallic	Vivid Black Gauntlet Gray Metallic Fastback Blue/White Sand Pearl	Vivid Black Gunship Gray	Vivid Black Gunship Gray	Vivid Black Gunship Gray	Chrome: Vivid Black, Mineral Green Metallic, Gauntlet Gray, Metallic/Vivid Black Black: Vivid Black, Gunship Gray Reef Blue/Vivid Black	CHROME: Solid Vivid Black, Black Denim, Gunship Gray, White Sand Pearl Two-Tone: Reef Blue/Vivid Black BLACK: Solid Vivid Black, Gunship Gray, Redline Red, White Sand Pearl Two-Tone: Reef Blue/Vivid Black	Vivid Black Midnight Crimson Mineral Green Denim	Vivid Black Midnight Crimson Gauntlet Gray Metallic/Vivid Black

Standard

Standard

Standard

Standard

Standard

Standard

Standard

Standard

Standard

SPECIFICATIONS	STREET GLIDE® SPECIAL	ULTRA LIMITED	CVO™ ROAD GLIDE®	CVO™ ROAD GLIDE® LIMITED
Seat Height, Unladen (*Cert)	695 mm	740 mm	680 mm	760 mm
Fuel Capacity	22.71	22.71	22.71	22.71
Weight, As Shipped (*Cert)	361 kg	399 kg	390 kg	420 kg
Weight, In Running Order (*Cert)	376 kg	416 kg	405 kg	436 kg
Engine Displacement (*Cert)	Milwaukee-Eight® 107 107 cu in (1,745 cc)	Twin-Cooled* Milwaukee-Eight® 114 114 cu in (1,868 cc)	Milwaukee-Eight® 117 117 cu in (1,923 cc)	Twin-Cooled" Milwaukee-Eight® 117 117 cu in (1,923 cc)
Final Drive (*Cert)	Belt, 32/68 ratio	Belt, 32/68 ratio	Belt, 32/68 ratio	Belt, 32/68 ratio
Transmission	6-Speed Cruise Drive™	6-Speed Cruise Drive™	6-Speed Cruise Drive™	6-Speed Cruise Drive™
Wheel Type	Enforcer II Cast Aluminum	Slicer II cast aluminum with clear coat	Gloss Black & Contrast Chrome Combo	Gloss Black & Contrast Chrome Tomahawl
Wheels, Front Height	19 in. (483 mm)	18 in. (457 mm)	21 in. (533 mm)	19 in. (483 mm)
Wheels, Rear Height	18 in. (457 mm)	18 in. (457 mm)	18 in. (457 mm)	18 in. (457 mm)
Suspension Travel, Front	117 mm	117 mm	91 mm	117 mm
Suspension Travel, Rear	54 mm	76 mm	54 mm	76 mm
Power (*Cert)	93 HP / 69 kW @ 5,020 rpm	93 HP / 69 kW @ 5,020 rpm	106 HP / 79 kW @ 4,750 rpm	105 HP / 78 kW @ 4,850 rpm
USB	USB/MTP/iPod/iPhone	USB/MTP/iPod/iPhone	USB/MTP/iPod/iPhone	USB/MTP/iPod/iPhone
Colours	Vivid Black Midnight Crimson White Sand Pearl	Chrome: Vivid Black, Gauntlet Gray Metallic, Midnight Crimson/Vivid Black, Reef Blue/ Vivid Black Black: Vivid Black, Gunship Gray, Midnight Crimson/Vivid Black, Reef Blue/Vivid Black	Envious Green Fade Wicked Orange Pearl Blue Steel	Dante's Red Fade Hightail Yellow Pearl Wicked Orange Pearl
ABS	Standard	Standard	Standard	Standard

SPECIFICATIONS	CVO™ STREET GLIDE®	CVO TRI™ GLIDE®	TRI GLIDE™ ULTRA	FREEWHEELER®
Seat Height, Unladen (*Cert)	690 mm	715 mm	735 mm	700 mm
Fuel Capacity	22.71	22.71	22.71	22.71
Weight, As Shipped (*Cert)	377 kg	563 kg	546 kg	492 kg
Weight, In Running Order (*Cert)	393 kg	577 kg	564 kg	507 kg
Engine Displacement (*Cert)	Milwaukee-Eight® 117 117 cu in (1,923 cc)	Twin-Cooled" Milwaukee-Eight® 117 117 cu in (1,923 cc)	Twin-Cooled" Milwaukee-Eight® 114 114 cu in (1,868 cc)	Milwaukee-Eight® 114 114 cu in (1,868 cc)
Final Drive (*Cert)	Belt, 32/68 ratio	Belt, 30/70 ratio	Belt, 30/70 ratio	Belt, 30/70 ratio
Transmission	6-Speed Cruise Drive™	6 Speed Cruise Drive™	6-Speed Cruise Drive™	6-Speed Cruise Drive™
Wheel Type	Gloss Black & Contrast Chrome Fugitive	Gloss Black & Contrast Clear Tomahawk	Black, 7-spoke Cast Aluminum	Enforcer Cast Aluminum
Wheels, Front Height	19 in. (483 mm)	19 in. (483 mm)	16 in. (406 mm)	19 in. (483 mm)
Wheels, Rear Height	18 in. (457 mm)	18 in. (457 mm)	15 in. (381 mm)	15 in. (381 mm)
Suspension Travel, Front	117 mm	117 mm	117 mm	117 mm
Suspension Travel, Rear	54 mm	76 mm	76 mm	76 mm
Power (Hp/kW) (*Cert)	106 HP / 79 kW @ 4,750 rpm	107 HP / 80 kW @ 4,750 rpm	93 HP / 69 kW @ 5,020 rpm	93 HP / 69 kW @ 4,750 rpm
USB	USB/MTP/iPod/iPhone	USB/MTP/iPod/iPhone	USB/MTP/iPod/iPhone	N/A
Colours	Envious Green Fade Blue Steel Hightail Yellow Pearl	Dante's Red Fade	Vivid Black Gauntlet Gray Metallic/Vivid Black Midnight Crimson/Vivid Black	Vivid Black Midnight Crimson/Vivid Black Reef Blue
ABS	Standard	Standard	Standard	Standard

2022 Paint Colors



IMPORTANT - PLEASE READ: The information printed in this brochure reflects product design, fabrication and component parts at the date of printing. 1 Vehicles depicted may differ from vehicles manufactured and delivered. Specifications and prices listed may differ from specifications and prices of vehicles manufactured and delivered. All product descriptions (including depictions, specifications, dimensions, measurements, ratings and competitive comparisons) are based on the information available at the time of publication. Although such descriptions are believed correct, errors and changes can occur and complete accuracy cannot be guaranteed. Harley-Davidson may make changes and at any time to prices and specifications and may change or discontinue models without notice and without incurring any obligation. Attention: Vehicles in the configurations shown and many of the accessories described in this catalogue may not be available for sale or use in some locations. Please check with your dealer for complete product details and the latest information.



THERE IS NOTHING STOPPING YOU.

OUR DEALERSHIPS ARE READY TO SHOW YOU

ALL THE NEW 2022 MOTORCYCLES.

GET THERE TODAY AND SEE FOR YOURSELF!

CLICK To book your test ride FIND YOUR NEAREST
AUTHORIZED HARLEY-DAVIDSON DEALER AT:

www.HARLEY-DAVIDSON.com

CLICKTo find your local dealer

